

## TECHNICAL SHEET OF THE PRODUCT

### Wire with eyelet and hook

#### Brief characteristics

The element is made of galvanized steel wire. It is used for hanging plasterboard or cassette structures to lower the ceiling.

#### Technical data:

	<b>Wire w. eyelet and hook</b>
thickness of material	0,40 mm
material	DS9007
coating	galvanizing 100 g/m <sup>2</sup>
	exposure class B
length	<b>125 mm</b>
weight	0,0145 kg/pcs
small package	100 pcs
large package	28 000 pcs/PAL
reaction to fire	class A1
load	0,25 kN



	<b>Wire w. eyelet and hook</b>
thickness of material	0,40 mm
material	DS9007
coating	galvanizing 100 g/m <sup>2</sup>
	exposure class B
length	<b>250 mm</b>
weight	0,0270 kg/pcs
small package	100 pcs
large package	20 000 pcs/PAL
reaction to fire	class A1
load	0,25 kN



	<b>Wire w. eyelet and hook</b>
thickness of material	0,40 mm
material	DS9007
coating	galvanizing 100 g/m <sup>2</sup>
	exposure class B
length	<b>375 mm</b>
weight	0,0395 kg/pcs
small package	100 pcs
large package	15 000 pcs/PAL
reaction to fire	class A1
load	0,25 kN



	<b>Wire w. eyelet and hook</b>
thickness of material	0,40 mm
material	DS9007
coating	galvanizing 100 g/m <sup>2</sup>
	exposure class B
length	<b>500 mm</b>
weight	0,0524 kg/pcs
small package	100 pcs
large package	10 000 pcs/PAL
reaction to fire	class A1
load	0,25 kN



	<b>Wire w. eyelet and hook</b>
thickness of material	0,40 mm
material	DS9007
coating	galvanizing 100 g/m <sup>2</sup>
	exposure class B
length	<b>750 mm</b>
weight	0,0770 kg/pcs
small package	100 pcs
large package	5 000 pcs/PAL
reaction to fire	class A1
load	0,25 kN



**Ing. Pavol Závodský – PULZ**  
ČSL armády 388/9  
907 01 Myjava  
**Place of business**  
Turá Lúka č.416  
Slovakia

**ID:** 11738286  
**VAT:** SK1020282252  
**GPS:**  
48.744167, 17.537133

**Tel:** +421 (0)34 621 61 41  
**Fax:** +421 (0)34 621 29 91  
**Mob:** +421 (0)949 175 845  
+421 (0)908 420 495  
**E-mail:** [pulzmyjava@pulzmyjava.sk](mailto:pulzmyjava@pulzmyjava.sk)  
**Web:** [www.pulzmyjava.sk](http://www.pulzmyjava.sk)

Accessories for plasterboard systems  
Suspended system for mineral ceiling "cassette ceiling"  
Accessories for ETICS and plasters



	Wire w. eyelet and hook
thickness of material	0,40 mm
material	DS9007
coating	galvanizing 100 g/m <sup>2</sup>
	exposure class B
length	<b>1000 mm</b>
weight	0,1020 kg/pcs
small package	100 pcs
large package	5 000 pcs/PAL
reaction to fire	class A1
load	0,25 kN



	Wire w. eyelet and hook
thickness of material	0,40 mm
material	DS9007
coating	galvanizing 100 g/m <sup>2</sup>
	exposure class B
length	<b>1500 mm</b>
weight	0,1520 kg/pcs
small package	100 pcs
large package	5 000 pcs/PAL
reaction to fire	class A1
load	0,25 kN



	Wire w. eyelet and hook
thickness of material	0,40 mm
material	DS9007
coating	galvanizing 100 g/m <sup>2</sup>
	exposure class B
length	<b>2000 mm</b>
weight	0,2020 kg/pcs
small package	100 pcs
large package	5 000 pcs/PAL
reaction to fire	class A1
load	0,25 kN



**Ing. Pavol Závodský – PULZ**  
ČSL armády 388/9  
907 01 Myjava  
**Place of business**  
Turá Lúka č.416  
Slovakia

**ID:** 11738286  
**VAT:** SK1020282252  
**GPS:**  
48.744167, 17.537133

**Tel:** +421 (0)34 621 61 41  
**Fax:** +421 (0)34 621 29 91  
**Mob:** +421 (0)949 175 845  
+421 (0)908 420 495  
**E-mail:** [pulzmyjava@pulzmyjava.sk](mailto:pulzmyjava@pulzmyjava.sk)  
**Web:** [www.pulzmyjava.sk](http://www.pulzmyjava.sk)